study room

S2006

S2006 Instruction manual

NOTICE OF ASSEMBLE

Tips for assembling

1.Because this product contains small parts, children need to use this product with an adult to avoid accidental ingestion and cause suffocation hazard. There are sharp objects in the product, be careful not to pierce people to avoid injury.
2.After all the materials are used in the required amount in the operation steps, put the remaining materials back into the original bag until the installation is completed. (Avoid losing materials during the installation process)
3.The unit of dimension marked in the step diagram is "cm".
4.Tips for making template paper: Put the template on the back of the material, fix it with some small double-sided tape, and then cut out the material to prevent the cloth or template from moving in the cutting process, or causing errors in the cut material. Or lead to insufficient materials.
5.According to the "Parts Rule Example" at the bottom of this page, refer to the parts on the part number drawing, find the actual product and compare it with the bill of materials, and then install it after confirming that it is correct. (Wooden parts only)
6.It is not advisable to apply too much glue, so as not to wait for a longer time to dry, and overflow will affect the effect of the finished product.
7.There are unavoidable small deviations in the color of wood, fabric, and beads of different batches, without notice, thanks for understanding.

Tips for Assembling Wood

Find the corresponding block number, use a knife in the connection point gently press, you can take out the wood.

Use a knife to smooth out the burr.

Or use sandpaper to smooth out the burr

Testing on LED function

Be sure to test the LED lights before making the lighting,note that the LED white wire to the negative, gray wire to the positive reference to the following figure operation test.

1

DO NOT contact the LED wire end direct to the battery cell.

2



Use the provide battery holder. Make sue the correct polarity.

How to assemble the battery holder

1.Material and tools needed:
- Battery holder, LED bulb, tape, screw driver and 2 pieces AAA size battery(not provided)

2. Use screw driver and take the lid off from the battery holder.

3. Insert the battery take notes on the polarity.



4. Connect the red wire to grey wire. Connect the black wire to white wire.

5.Wrap the exposed wire with the tapes.



6. Place the box lid and fastness with screw driver.

Examples of parts rule:

A01:The parts are directly in the box: B01: The parts are in the B bag; C01: The parts are in the C bag, and so on (Note: The printing paper is displayed in the step A06-01: The printing paper is placed directly in the box , The part number is A06-01. In the step, the template paper A07-C01 is displayed, A07 is the template paper, C01 is the cutting template used for the corresponding material, C01-01, C01-02 are the part numbers for the parts, and the printing paper and template paper are directly placed in the packaging box.)

Table of Contents

Name of Accessory	Material package	
Printed paper	Packages A included A06,A07 all printed paper and template paper , Paper accessory total 4 sheets A5 paper single-side ,4 sheet A4 single-side	
Bookcase	Packages B&Packages C&printed paper	Pages 3-4
Desk&Chair	PackagesA&PackagesB&PackagesC	Pages 4-5
Sofa	PackagesA& PackagesC& printed paper &template paper	Pages 5-7
Easel	Packages B& printed paper	Page7
Light	Packages B&Packages C&Packages D& template paper	Pages 7-8
Painting tools	Packages B&Packages C&printed paper&template paper	Pages 8-9
Frame assembly	Packages A&Packages C&Packages D& printed paper	Pages 9-10
Battery installation	Packages D	Page10
dust cover	Packages D & Packages Z	Page11

Welcome to the DIY world,
now follow me to start.

Symbol description used



Material List Thumbnail (For Reference Only)

Printed paper and template paper thumbnail (For Reference Only)



About the use of glue

Method for using glue:
1. After applying the glue, let it dry for a few seconds before pasting.
2. Fix it slightly with your hands, and finally put it aside to dry;

Tips:

When pasting the plane printing paper, a piece of waste bank card or telephone card can be used to wipe evenly after the glue is smeared on the wood board, and then the printing paper is pasted to squeeze out the air inside.

Types of glue:

White latex: Used for adhering soft materials, such as wood and paper.
Alcoholic Glue: Used for adhering hard materials such as cloth, plastic, beads, wire, dust cover, etc.

Bookcase

B01
B01
B02
B02
B02
B03
B04
C09 C09
A06-05
A06-06





assembly structure of bookcase



1



2

3



4



5



6



7

(back)

8

(front)

9



10

11

C09 C09

12



A06-01

13

14

15

use same steps to make other books

16

2

17

A06-02

18

3

19



A06-06

Fold the paper to form the box shown above

Desk&Chair

Before making ,please cut out C01,C02 from template paper A07-C01,A07-C02.

Before making, please dig out A04-01,A04-02, A04-03 from A04.



1



2



3



4

5



6

20

21

22

7

8



9

10



11



(back view)

12

The edge and corner need close to each other.

13



14

15



16



17

(back)

18

(front)

19

20

21

Before making, please cut out A07-C01,A07-C02 from C01,C02 according to the template.
Before making ,please take out A05-01,A05-02, A05-03 from A05.

Sofa



1



2



Glue 2 pieces of C01-03 as the picture shown,and keep a small hole to put C16(cotton).

3

After the glue dry ,put right amount cotton inside.

4

glue the small hole

5

6

7

turn it over

8



9

10

11

12

13

14

The edge and corner need close to each other.

15



No need glue this part

16

17

(back)

Notice :no need glue inside, Inside need put cotton

18



19

20

Put cotton inside as the picture shown.

21

Glue it as the picture shown.

22

(front)



7 surround 6 adhere

(Side)

(bottom)

23

Glue middle of C01-09 ,then cut the edge of C01-09,See the finished picture on steps 24

24

(bottom)

25



26

27

Make 2 pieces use same steps.

28

29



Book making steps refer previous page 3 to make it.

30



Easel



1



2

3

Glue A06-12 as the picture shown.

4



5

6

7

8



(bottom view)

9

(front view)

10

Light

Before making ,please cut out C05 from template paper A07-C05.

1



2

3

Cut out 0.5cm of C07.

4



5



6

7



star lampshade

8



9

10

Painting tools

Before making,please cut out C01,C03 from template paper A07-C01,A07-C03





1

2

3

Wrap C07 use A06-15.

4



5

6



7

8

B14(back view)

9

10

Cut 10 pieces of C06 , about 1.5~1.7 cm / piece.

11

12

Use same steps to make left 9 pieces.

13

Put 6 pieces pencil into pencil vase, left 4 pieces will be use later.

14

15

16

17

Use black pen to draw bear’s eyes.

Assembly spare part

3



4

18

19

A06-19-04

2

5



6

20

21

Use same steps to make other.

3

7



22

Put 3 pieces painting into storage bucket , 2 pieces of it will use later.

Frame assembly



2



8

9

Notice : the light wire need through the hole of the wall.

10

Before making ,please cut out C04-01 from C04 according to the template paper.

11

12

13

14

Battery installation

Statement: the lamp wires cannot be inserted into the output socket.

- Can use 2*AAA batteries
- Please notice the place of anode and cathode when pit in the batteries
- Rechargeable batteries are not blunt electricity
- Rechargeable batteries can only be charged under adult supervision
- Rechargeable batteries should be removed from the toy before charging
- Different types of batteries cannot mix; Do not mix new batteries in use with semi-used batteries.
- Run out of battery should be removed from the toy
- The power shall not be short circuit

1

Tie them together with D03 tape.

2



Same color wire put together, battery box red wire connect gray wire, battery box black wire connect white wire,make it as the picture shown .

3



Use D03 tape wrap wire(as the picture shown) to ensure all LED light can be light up.

Installation of dust cover

Dust cover

Ratio:1:6
Z01 plexiglass (transparent)
12.5*11*0.13CM(1piece)

Ratio:1:6
Z02 plexiglass (transparent)
12.37*11*0.13CM(1piece)



Ratio:1:6
Z03 plexiglass (transparent)
13*13*0.13CM(1piece)

1

(plan)



Glue Z01,Z02 onto Z03

2

Ripped one side of kraft paper, leaving one side of kraft paper.

Take out the plexiglass and tear off the kraft paper with text on each piece of plexiglass.

3



The kraft paper that has been ripped off faces inwards, and the kraft paper that has not been ripped out faces out wards. Place Z01 to the right at a right angle of 90 degrees to Z03.

4



Use D03 to fix the junction of two pieces of plexiglass, (use transparent tape to replace D03)

5

(outside view)

The junction of every two pieces of plexiglass needs to be fixed with D03 (to prevent the plexiglass falling off)

6

(inside view)



Stick appropriate amount of glue to the interface of the two pieces of glass and scrape it slightly to make the glue penetrate into the junction of the two pieces of glass (the red line is theplexiglass interface)

7

(Internal inverted transparent view)



Leave it for 1 hour. After the glue dries out, tear off a layer of kraft paper outside the plexiglass.

With dust cover at daytime

With dust cover at night



Great!It had finished!
It can be combined with other designs,would you like to see them.

FULL DISPLAY OF NINE SERIES

Photos with roof

(The house roof need purchase it seperate)

Two-in-one

(Photos for reference,can be combined in different by yourself)

Three-in-one

(Photos for reference,can be combined in different by yourself)

Four-in-one

(Photos for reference,can be combined in different by yourself)

Four-in-one

(Photos for reference,can be combined in different by yourself)

Six-in-one

(Photos for reference,can be combined in different by yourself)

Nine-in-one

(Photos for reference,can be combined in different by yourself)

The instruction manual should be keep,after assembled.