


Meow's Home

\$2009 Instruction manual

## NOTICE OF ASSEMBLE

#### Tips for assembling

- 1. Because this product contains small parts, children need to use this product with an adult to avoid accidental ingestion and cause suffocation hazard. There are sharp objects in the product, be careful not to pierce people to avoid injury.
- 2. After all the materials are used in the required amount in the operation steps, put the remaining materials back into the original bag until the installation is completed. (Avoid losing materials during the installation process)
- 3. The unit of dimension marked in the step diagram is "cm".
- 4.Tips for making template paper: Put the template on the back of the material, fix it with some small double-sided tape, and then cut out the material to prevent the cloth or template from moving in the cutting process, or causing errors in the cut material. Or lead to insufficient materials.
- 5.According to the "Parts Rule Example" at the bottom of this page, refer to the parts on the part number drawing, find the actual product and compare it with the bill of materials, and then install it after confirming that it is correct. (Wooden parts only)
- 6.1t is not advisable to apply too much glue, so as not to wait for a longer time to dry, and overflow will affect the effect of the finished product.
- 7. There are unavoidable small deviations in the color of wood, fabric, and beads of different batches, without notice, thanks for understanding.





Find the corresponding block number. use a knife in the connection point gently press, you can take out the wood.



Use a knife to smooth out the burr.





Or use sandpaper to smooth out the burr

#### Testing on LED function

Be sure to test the LED lights before making the lighting, note that the LED white wire to the negative, gray wire to the positive reference to the following figure operation test.







correct polarity.

#### How to assemble the battery holder



1. Material and tools needed: - Battery holder, LED bulb tape, screw driver and 2 pieces battery holder. AAA size battery(not provided)



2. Use screw driver and take the lid off from the



3. Insert the battery take notes on the polarity.



4. Connect the red wire to grey wire. Connect the black wire to white



5. Wrap the exposed wire with the tapes.



6. Place the box lid and fastness with screw driver.

#### Examples of parts rule:

A01: The parts are directly in the box: B01: The parts are in the B bag; C01: The parts are in the C bag, and so on (Note: The printing paper is displayed in the step A07-01: The printing paper is placed directly in the box, The part number is A07-01. In the step, the template paper A07-C01 is displayed, A07 is the template paper, D01 is the cutting template used for the corresponding material, D01-01, D01-02 are the part numbers for the parts, and the printing paper and template paper are directly placed in the packaging box.)

#### Table of Contents

Name of Accessory	Material Package	
Printed paper& template paper	Packages A included A06,A07 all printed paper and template paper ,Pc accessory total 5 sheets A5 paper	per
Cat climbing frame	Packages B&Packages D&template paper	— Page3
Rocking bed	Packages B&Packages D&template paper	— Page4
Cat scratch stick	Packages B&Packages D&printed paper	— Page5
Ledge	Packages B&printed paper	— Page5
Cattery	Packages C&Packages D&printed paper&template paper	— Page5
Tent	Packages C&Packages D&Packages E&template paper	— Page6
Catladder	Packages C&printed paper	— Page7
Cat climber	Packages C	Pages 7-8
Stair and Wall lamp	Packages C&Packages E&printed paper&template paper	— Page8
Cat bowl	Packages D&printed paper&template paper	— Page 9
Frame assembly	Packages A& printed paper	Pages 9-10
Battery installation	Packages E	— Page10
Dust cover	Packages Z	— Pagell

# Symbol description used



























edge to center to the middle dotted line to dotted lin



About the use of glue

Method for using glue: 1. After applying the glue, let it dry for a few seconds before pasting. 2. Fix it slightly with your hands, and finally put it aside to dry;

#### Tips:

When pasting the plane printing paper, a piece of waste bank card or telephone card can be used to wipe evenly after the glue is smeared on the wood board, and then the printing paper is pasted to squeeze out the air inside.

#### Material List Thumbnail (For Reference Only)





#### Printed paper and template paper thumbnail (For Reference Only)














#### Types of glue:


White latex: Used for adhering soft materials, such as wood and paper. Alcoholic Glue: Used for adhering hard materials such as cloth, plastic, beads, wire, dust cover, etc.






























# How to assemble the battery holder

Statement: the lamp wires cannot be inserted into the output socket.

- Can use 2\*AAA batteries
- - Please notice the place of anode

- Intecse notice the pace or anoce and cathode when pite to the botteries
   Rechargeable batteries are not blunt electricity
   Rechargeable batteries can only be charged under acult supervision
   Rechargeable batteries should be
- removed from the toy before charging
   Different types of batteries cannot mix; Do not
- mix new batteries in use with semi-used batteries.
- - Run out of battery should be removed from the toy





see the picture shown



color wire wrap together







# Installation of dust cover

# Dust cover




Ratio:1:6 Z01 plexiglass (transparent) 13\*13\*0.13cm(1 piece)



Ratio:1:6
Z02 plexiglass (transparent)
12.5\*11\*0.13cm(1 piece)




Ratio:1:6 Z03 plexiglass (transparent) 12.37\*11\*0.13cm(1 piece)



Ripped one side of kraft paper, leaving one side of kraft paper




Take out the plexiglass and tear off the kraft paper with text on each piece of plexiglass




The kraft paper that has been ripped off faces inwards, and the kraft paper that has not been ripped out faces out wards. Place Z01 to the right at a right angle of 90 degrees to Z02




Use E04 to fix the junction of two pieces of plexiglass, (use transparent tape to replace E04)



The junction of every two pieces of plexiglass needs to be fixed with E04 (to prevent the plexiglass falling off)



stick appropriate amount of glue to the interface of the two pieces of glass and scrape it slightly to make the glue penetrate into the junction of the two pieces of glass (the red line is theplexiglass interface)



Leave it for 1 hour. After the glue dries out, tear off a layer of kraft paper outside the plexiglass.



### With dust cover





Great!It had finished!
It can be combined with other designs, would you like to see them

# FULL DISPLAY OF NINE SERIES



















(the house roof need purchase it seperate)
Photos with roof



Two-in-one



(Photos for reference, can be combined in different by yourself)



(Photos for reference, can be combined in different by yourself)

Four-in-one



Four-in-one



(Photos for reference, can be combined in different by yourself) (Photos for reference, can be combined in different by yourself)



Nine-in-one



(Photos for reference, can be combined in different by yourself)

The instruction manual should be keep, after assembled